DISSERTATIO MEDICA
INAUGURALIS,
DE
TYPHO;

QUAM,

ANNUENTE SUMMO NUMINE,
Ex Auctoritate Reverendi admodum Viri,
D. GEORGII BAIRD, S. S. T. P.
ACADEMIÆ EDINBURGENÆ PRÆFECTI;

NECNON
Amplissimi SENATUS ACADEMICI Consensu,
Et Nobilissimæ FACULTATIS MEDICÆ Decreto;

Pro Gradu Doctoris,

SUMMISQUE IN MEDICINA HONORIBUS AC PRIVILEGIIS
RITE ET LEGITIME CONSEQUENDIS;

ERUDITORUM EXAMINI SUBJICIT

HENRICUS XAVIER BAETA,
LUSITANUS.

Quæ phenomena practica edocuere. SYDENHAM.

Ad diem 24 Junii, hora locoque solitis.

EDINBURGI:

EXCUDEBANT C. STEWART ET SOCII, ACADEMIÆ
TYPOGRAPHI.

1800.

JOSEPHO DIAS BAETA,

EXIMIO PATRI;

NECNON

ANNÆ ROSA JOAQUINA,

MATRI DILECTISSIMÆ;

HASCE STUDIORUM PRIMITIAS,

SUMMI AMORIS

GRATIQUE ANIMI ET OBSERVANTIÆ

PIGNUS,

CONSECRAT

HENRICUS XAVIER BAETA.

ADMONITIO.

QUÆ PHÆNOMENA PRACTICA EDOCUERE. *Syd.*

NEGLECTIS THEORIIS, DE FACTIS TANTUM OBSERVATIONIBUSQUE QUOTQUOT ADHUC INNOTESCUNT, TRACTABO. *p.* I.

This is easy enough, and authors do it every day, as monks count their bead-roll. BEDDOES.

CUM Facultas Medica in academia Edinensi mihi consensum non præberet ad prelo subjiciendum dissertationem meam de febribus intermittentibus, in quâ Dris Daruini theoriam sustentabam *, quoniam professores in eâ universitate credunt quamlibet doctrinam præter eam, quæ a Dre Culleno nobis tradita est, (in qua remissa judicandi facultas, atque idearum contrarietas haud rarò pro justa ratiocinatione inveniuntur), de

* Vide Dissertationem de febribus intermittentibus præcipue medendis. Edinburgi, 1800. Quanquam professores in *Academia Edinensi* Dris Daruini theorias maxime spernunt; attamen hæ a multis scriptoribus, qui de Medecina ac Philosophia bene merent, magnopere laudantur: in hujus testimonium adduci potest quod medicus celeberrimus de Zoonomia ait: *Zoonomia* (Dris Daruini) *bids fair to do for physic, what the principia of Sir Isaac Newton have done for natural philosophy.*

Publ. Char. 1798.

de *ejus inclytæ* academiæ fama detrahere * poſſe ; et cum variæ rationes *ad Dris gradum* in ea univerſitate conſequendum me ſuaderent ;—hanc diſſertationem de typho ſcripſi, in qua tantummodo facta ac obſervationes quæ de morbo extant expoſui ; attamen cum ad proximam morbi cauſam advenirem, et aliquid de hac mihi dicere neceſſe fuiſſet, Dris CULLENI doctrinam ipſius verbis utens retuli.

The people like a headlong torrent go. DRYDEN.

Sed illico poſtea quæſtionem propoſui, quæ ſanè profeſſoribus oblata eſt ; de quo faciendo me avertere non potuit, quod Franklin ſapienter ait,

Felix, quem faciunt aliena pericula cautum †.

Unde intelligi poteſt me theorias non ſpernere, quæ ex naturalibus principiis, valida ratiocinatione deductæ, non ſolum morborum naturam explicant, ſed etiam nos docent quomodo remedia, quibus nos utimur, ad eos compeſcendos, in ſyſtemate animali agunt.

To think, ait Zoonomiæ auctor, (cujus nomen mihi perquam chariſſimum eſt), *is to theoriſe.*

---

* Hic referre mihi certe proprium videtur quod Dr Beddoes de ſimili re dicit. " I ſuppoſe many readers will concur with " me in regarding with contempt the *patch-work* of education ; " whether it conſiſt of a ſpecimen of penmanſhip, retouched by " the maſter for the honour of the ſchool, or of an *inaugural* " *ſpecimen*, garbled by the profeſſors for the honour of the uni- " verſity."

† Hic intelligendum volo Franciſcum Solano Conſtancio, Luſitanum, cui *Dris gradus* in academia ſupra dicta denegatus fuit. Vide Appeal to the gentlemen ſtudying medicine, &c. by Franciſco Solano Conſtantio, Edinburgh, 1797.

DISSERTATIO MEDICA

INAUGURALIS,

DE

TYPHO.

HENRICO XAVIER BAETA, Auctore.

Neglectis theoriis, de factis tantùm, observationibusque, quotquot adhuc innotescunt, tractabo.

DEFINITIO.

" Morbus contagiosus; calor parúm auctus;
" pulsus parvus, debilis, plerumque frequens;

"urina parùm mutata; ſenſorii functiones "plurimum turbatæ; vires multum imminu-"tæ."

Cull. Syn. Noſ. Meth. vol. 2. *cl.* 1. *ord.* 5. *gen* 5.

HISTORIA.

Ineunte morbo, æger oſcitat; inquietus eſt, velut labore feſſus; alternis vicibus frigore horreſcit, et caleſcit: poſteaque ſuperveniunt laſſitudo; vertigo; dorſi, et ſæpe capitis dolor; debilitas; animus demiſſus; ſomnus turbatus; nauſea; vomitus; cibi faſtidium; ſitis modica, quandoque vero urgens; cutis arida, ejuſque calor haud multum auctus; lingua humida, ac muco albido tecta; alvus adſtricta; urina pallida ac limpida; pulſus frequens, debilis, et interdum intermittens; reſpiratioque laborioſa. Hæc ſymptomata plerumque ad ſeptimum uſque morbi diem, in gradu haud magno, obſervata ſunt: quandoque verò unum

vel

vel alterum gravius evadit; imoetiam alia nondum descripta, sicut delirium, stupor, tinnitus aurium, &c. manifesta fiunt. Non desunt scriptores de hoc morbo, qui petechias in hac periodo observarunt; Hasenohrl (de febre petechiali), et Ramazini (de constitutionibus annorum 1692, 1693, 1694): Sed e contra, ex multorum medicorum testimonio patet, nulla, inter hæc, imoetiam pauca, inter prius descripta, symptomata, haud raro in hoc morbi stadio inventa esse.

Ad septimum vel octavum morbi diem vertigo ac capitis dolor multum ingravescunt: tinnitus aurium, et delirium, interdumque stupor superveniunt; vires quasi lassitudine effluunt; adeo quidem ut, corpore erecto, animo æger deficiat; tuncque omnes artus graviter tremunt: lingua, quoties eam exserit ægrotans, multum tremiscit; et in mediâ potissimum parte, aridâ, et subflavâ, quandoque verò subnigrâ crustâ obducta, observata est.

Sæpe ſudor gelidus a fronte fluit, dum ardeſcit facies.

Circa nonum, decimum, vel duodecimum morbi diem, ſudor profuſus, plerumque gelidus, ac viſcidus, ex artubus prorumpit, comitante ſimul diarrhœa exhauriente; tunc petechiæ aut vibices in cervice, pectore, et brachiis apparent: hæ tamen, ut ſupra dictum, ante hanc periodum interdum exoriri ſolent. Nunc adſunt collapſus faciei; ſubſultus tendinum; extremitatum tremores; vox deficiens, ut vix audiri poſſit; deglutiendi facultas imminuta, imo penitus ferè deleta; ſurditas; viſus duplex; ſtrabiſmus; muſcæ ante oculos volitantes; pupilla admodum dilatata; floccorum collectio; dentes, et labia nigra; anima fœtida; fœcum et urinæ involuntaria emiſſio; interdum dyſuria; ſingultus; reſpiratio laborioſiſſima; pulſus denique admodum debilis, ut explorantem medici digitum pene effugiat, ſupra modum frequens, 130, 140, 150, imoetiam 160, in horæ ſexageſima parte, interdum intermittens.

Hiſce

Hiſce omnibus ſymptomatibus, vel tantum horum nonnullis, cum hæc graviſſima evadunt, convulſio ſuperveniens vitæ miſeræ finem imponit.

Hæc ſunt phænomena, quæ a variis ſcriptoribus, Dr Pringle (Diſeaſes of the Army), Dr Cullen (Practice of Phyſic), Dr Donald Monro (Diſeaſes of the Army), Dr Gregory (Aud. præl. de Med. Pract.), Dr J. C. Smyth (Jail-diſtemper), Dr Trotter (Med. Naut.), ac Dr Fordyce (Third Diſſertation on Fever), in Typho referuntur. Præter verò hæc, alia a Dre Donald Monro, (Lib. cit. vol. 1. p. 271.—289), ſicut vermes, glandulæ tumidæ, ophthalmiæ, hæmorrhagiæ, &c. relata ſunt. Attamen hæc ſigna, ſicut et alia antea expoſita, videlicet, petechiæ, ſurditas, ſtupor, &c. ſecundum quoſdam auctores, tantummodo in typho graviori (jail fever, ſhip fever, malignant fever, &c.) obſervari poſſunt.

DIAG-

DIAGNOSIS.

Ex iis, quæ hactenus dicta fuere, typhi diagnosis in propatulo erit: confitendum tamen est, hanc omnium horum symptomatum præsentia minimè stabiliri: quia typhus haud raro extat, cum non solum unum, vel alterum, sed etiam plurima horum phænomenorum absunt.

PROGNOSIS:

Hæc et e complexo, vel simplici; et e violento, vel moderato, phænomenorum antea, maxime eorum in tertio stadio descriptorum, gradu deducenda est.

CAUSÆ REMOTÆ.

Omnia qualiacunque sint, quæ corpus magnopere debilitant, ex. gr. prægressi morbi, qui

aut

aut violentia, aut diuturnitate vires labefactaverint; magna vis ſive caloris, ſive frigoris; aer impurus; immunditia; intemperantia, imprimis ebrietas, et effrænata libido; diæta prava; herbarum recentium inopia; vita ſedentaria; defatigatio; inertia; vigiliæ nocturnæ; affectus deprimentes, vel in magno gradu excitantes, hîc referri debent. Contagio etiam inter cauſas typhi remotas recenſenda eſt, quanquam ejus exiſtentia (imoetiam in peſte) a nonnullis in dubium revocetur: Circa quod D. Howard (Lazarettos, p. 42.) ait, "Though "there are various points in which the anſwer-"ers of the preceding queſtions diſagree, yet "it is with pleaſure I obſerve, that they all, in "the moſt explicit manner, concur in repre-"ſenting the plague as a contagious diſeaſe, "communicated by near approach to, or ac-"tual contact with infected perſons or things. "This is a fact of the greateſt importance to "be eſtabliſhed, as all the propoſed means of "prevention, by cutting off communication with

"with the ſources of infection, muſt depend "upon it: it is a fact too, which one would "ſuppoſe, after ſuch manifold and repeated ex- "perience, no one would call now in que- "ſtion." In hujus confirmationem adduci poſſunt obſervationes, quæ de hac re a Dre Pringle (Lib. cit. p. 341.), Dre Lind (on Fevers and Infection, p. 62.), Campbell (Obſerv. on Typhus, p. 32.), ac Alex. Ruſſel (on the Plague, p. 192.), prolatæ ſunt. Multi ſunt ſcriptores, qui eas cauſas typhi remotas referunt: hæ attamen a quibuſdam optimè elucidatæ fuere. Roger (Eſſay on Epidemic Diſeaſes), Heiſham (Account of the Jail-fever), Pringle (Lib. cit.), Howard (on Priſons et Lazarettos), Ferriar (Med. Hiſt. and Reflections, vol. 3.).

CAUSA PROXIMA.

Cum antea a nobis, theorias eſſe relinquendas, dictum fuerit; hîc tantummodo Dris Culleni doctrinam, ipſius verbis utens, referam.

"The

" The remote cauſes are certain ſedative " powers applied to the nervous ſyſtem, which " diminiſhing the energy of the brain, there- " by produce a debility in the whole of the " functions, particularly in the action of the " extreme veſſels: ſuch, however, is, at the " ſame time, the nature of the animal eco- " nomy, that this debility proves an indirect " ſtimulus to the ſanguiferous ſyſtem; whence, " by the intervention of the cold ſtage, and " the ſpaſm connected with it, the action of " the heart and larger arteries is increaſed, " and continues ſo till it has the effect of re- " ſtoring the energy of the brain; of extend- " ing this energy to the extreme veſſels; of " reſtoring therefore their action, and thereby " eſpecially overcoming the ſpaſm affecting " them; upon the removing of which, the ex- " cretion of ſweat, and other marks of the re- " laxation of excretories takes place." (Firſt lines, art. 76.).

QUOMODO SUNT TYPHI SYMPTOMATA HAC THEORIA EXPLICANDA?

REMEDIA.

1*mo*, *Lavatio corporis aqua frigida tantum, vel cum aceto conjuncta*, a Dre Gregory in Nooſcomio Edinenſi præſcripta, me teſte, ſemper utiliſſima fuit, cum cutis calor ſupra gradum naturalem erat: hâc Lind et Wright pari ſucceſſu uſi ſunt.

Hujus applicationis utilitas et confirmata et commendata eſt, a Dre Jackſon (on Fevers, p. 228.), Dre Ruſh (Bilious Yellow Fever, p. 209.), ac a Dre Ferriar (Medical Hiſtories and Reflections, vol. 1. p. 124.). Aquæ gelidæ affuſio, quam Dr Currie ſe feliciſſimo eventu ſæpius in hoc morbo uſurpaſſe teſtatur (Med. Reports, chap. 5.), in ipſo noſocomio a Dre Home pari ſucceſſu præſcripta fuit: quod Domini Howard obſervationes pariter illuſtrant (Account of the Priſons, p. 23. and 55. & of the Principal Lazarettos, p. 104. &

155.

155.). Hîc etiam locum habent frigidæ potiones, quæ, cùm in iiſdem rerum adjunctis uſitatæ ſint, utiles repertæ ſunt a Dre Jackſon (Lib. cit. p. 216.), et a Dre Currie (Lib. cit. chap. 9.): has etiam Hippocrates, Galenus, Celſus, Cardanus, ac P. Alpinus extollunt.

2*do*, *Veſicatoria:* hæc a variis medicis, Dre Lind (Eſſay on Fevers), vide etiam (Medical Commentaries, 1ſt Dec. vol. 4. p. 309.), illicò a principio morbi adhibita fuere: ſed horum applicatio a multis in ultimis morbi ſtadiis tantummodo commendatur; quia tunc utiliora evadunt: (Dr Gregory Conſp. Med. Theor.), (Sydenh. oper. e Latin. in Angl. a Dre Swan conv. p. 33. not. (*u*), (Pringle lib. cit.), (Blane, diſeaſes of Seamen), (Donald Monro, lib. cit.), (Dr Percival's Eſſays, Med. and Exp. vol. 1.), &c.

3*tio*, *Fomenta ad artús inferiores vel ſuperiores*, &c. in Noſocomio Edinenſi a Dre Rutherford, cum ſucceſſu præſcripta vidi: his

etiam alii cum eodem felici eventu usi sunt: Dr Heisham (Account of the Jail-fever), Dr Hunter (Observ. on the Diseases of the Army), Dr Blane (Lib. cit.), Howard (Lib. cit.) Dr Fordyce (Fourth Dissert. on Fevers), Dr Home (Clin. Exp. and Hist.).

4to, *Balneum calidum* a Galeno et Celso frequenter adhibitum fuit; hoc Gilchrist felicissime usus est: utilitas hujus remedii a Dre Brandis (Duncan's Annals of Med. 1796.), et Dribus. Ferro ac L. Frank (Medical and Physical Journal, vol. 2.), confirmata est. Ex horum medicorum observationibus, sicut et etiam Dris Percival (Lib. cit. vol. 2. p. 202.), patet, hujus remedii usum utilissimum esse in ultimis typhi stadiis, vel quando generalis debilitatis signa magis manifesta fiunt.

5to, *Sanguinis detractio* a nonnullis medicis in principio typhi gravioris (malignant fever), cum symptomata inflammationis adsunt, commendata est: a Huxham (Essay on Fevers), Pringle (Lib. cit.), Donald Monro (Lib. cit.)

Rush

Ruſh (Yellow Fever), ac Dre Ferriar (Medic. Hiſt.). Hæc etiam a Sydenham, et a plurimis ſcriptoribus ab eo citatis, Pereda, Zacuto Luſitano, Fonſeca, Leonardo Botallo, &c. in febre maligna laudata fuit.

Hoc remedium verò magnâ cautelâ adhibendum eſt ſecundum Huxham, ac Donald Monro, &c.; quia ab eo tanta debilitas induci poteſt, ut vita in periculo haud parvo ſit; hinc a Robertſon (Eſſay on Fevers) ſemper rejicitur.

6*to*, *Sudorifica*, velut præparationes antimoniales, ſine vel cum opio adminiſtratæ; opium cum ipecacuanha, &c. a multis medicis commendantur. Hæc verò in principio morbi utiliora reperiuntur.

7*to*, *Vomitoria:* hæc in principio typhi plerumque, in noſocomio ſupra dicto, utilia reperta fuere. Multi ſunt medici, qui iis in hoc morbi ſtadio utuntur, Lind (Lib. cit.), Donald Monro (Lib. cit.), Robertſon (Eſſay on Fevers,

and

and Obſerv. on Jail, Hoſpital, and Ship-fever), Trotter (Medecina Nautica.), &c.

8vo, *Cathartica* a Dre Ruſh magnopere extolluntur (Lib cit.): horum vero utilitas ſecundum Robertſon (Eſſay on Fevers) ſolummodo percipi poteſt, cum ea in primis morbi ſtadiis, vel cum alvus adſtricta eſt, exhibita fuerint; quod a Dribus Donald Monro, ac Trotter confirmatur.

Enemata hîc quoque memoranda ſunt; hæc in omni ſtadio morbi, cum alvus adſtricta fuerit, adhiberi ſolent.

9to, *Cinchona* quidem a Dribus De Haen, Haſenohrl, Donald Monro, et Trotter multùm laudata eſt, præcipuè verò a Dre Robertſon (Eſſay on Fevers, p. 190. & Obſerv. on Jail, Hoſpital, and Ship Fever, p. 368.), vide etiam (Medical and Chirurg. Review, vol. 4. p. 56.). Felices cinchonæ effectus in hoc morbo haud raro in noſocomio Edinenſi obſervavi: ſed hi minimè comparari poſſunt cum iis, qui a Dre Robertſon referuntur. Hîc etiam referenda

ſunt,

ſunt,—Cortex anguſturæ, cortex winteranus, cortex ſwieteniæ ſoymidæ, caſcarilla, ſalix alba, cortex quercus, &c. quibus varii medici non ſine utilitate in typho uſi ſunt.

10*mo*, *Serpentaria virginiana* a nonnullis commendatur. Donald Monro (Lib. cit.) J. C. Smyth (Lib. cit.), Townſend (Guide to Health), vide etiam (London Practice of Phyſic.). Hanc in noſocomio a Dre Rutherford præſcriptam vidi, ſed non feliciter admodùm.

11*mo*, *Tinctura cantharidum* a Dre Hillary (Diſeaſes of Barbadoes) præſcripta fuit; Dr Home eâ ad gutt. xx. feliciſſime uſus eſt (Clinical Experim. and Hiſt. p. 19.).

12*mo*, *Vinum*: hoc remedium multorum medicorum experientia, in curatione typhi, per totum hujus curſum, cum ſymptomata inflammationis non adſunt, utiliſſimum inventum eſt. Huxham (Eſſay on Fevers), Pringle (Lib. cit.), Donald Monro (Lib. cit.), Cullen (Practice of Phyſic), Robertſon (Lib. cit.), Hunter (Lib. cit.), Ruſh (Lib. cit.), Townſ-

end

end (Lib. cit.), &c. Utilitatem hujus medicamenti, in nosocomio antea dicto, præscripti semper atque semper observavi.

I.

Vem, vem potente Bacho,
Vem ———

II.

Tu, grande Rey, governas
Os reinos da Alegria, e do Deleite,
Nossos humores
Rapidos, lentos,
Punges, refreias :
Tu animas os danças os festejos,
E ameigas no teu collo os lindas Graças,
Que o riso airoso negão.
Aos impios, que os Altares teus naõ beijão.

Francisco Manoel Hymno a Bacho.

Hîc quoque enumerandæ sunt variæ e spiritu vinoso præparationes; attamen harum usus non adeo efficax repertus est.

13mo,

13*mo*, *Æther vel ejus præparationes* in typhi cura commendantur a J. C. Smyth (Lib. cit.), Rufh (Lib. cit.), Trotter (Lib. cit.), ac a Dre Ferriar (Med. Hift. and Refl. vol. 1.).

Æther vitriolicus in removendis intermittentibus, cum paulo ante paroxyfmi acceffum exhibitus fuiffet, utiliffimus inventus fuit. (Med. Facts, vol. 5. p. 68.).

14*mo*, *Spiritus ammoniæ*: hoc Pringle (Lib. cit.), Donald Monro (Lib. cit.), Trotter (Lib. cit.), ac Townfend (Lib. cit.), manifeftâ utilitate ufi funt. Vide (Duncan's Med. Com. 1ft Dec. vol. 1. p. 57. & Lond. Pract. p. 38.).

15*mo*, *Mofchus*, intra typhi remedia etiam a nonnúllis enumeratur: Trotter (Lib. cit.), J. C. Smyth (Lib. cit.), vide (Lond. Pract. p. 27.), et maximè (Dr Clark on the Difeafes of Hot Climates, p. 142.): hujus verò remedii falutares effectus, fecundum Drem Fordyce, (Fourth Differtation on Fever, p. 141.), non magni funt.

16*mo*, *Camphora*, quæ a Dre Rutherford in

C nofocomio

nosocomio non sine felici eventu præscripta fuit, ab aliis etiam medicis adhibetur; Townsend (Lib. cit.), Rush (Lib. cit.); vide etiam (Howard on Lazarettos, p. 43. and Edinburgh Disp. p. 132.).

Attamen Dr Trotter (M. N. vol. 1. p. 96.) se salutares hujus effectus in typhi curatione nullos vidisse, nisi dysuria adesset, testatur. Dr Home (Clin. Exp. and Hist. p. 55.), non solum ejus usum non commendat, sed etiam reprobat. Dr Fordyce (Fourth Diss. on Fever, p. 142.—144.), eam tantummodo cum opio conjunctam utilem invenit.

17*mo*, *Opium*: hujus remedii usus a multis celebratur. Robertson (Essay on Fevers, p. 204.), Hunter (Diseases of the Army, p. 103.), Trotter (M. N. vol. 1. p. 295.), ac Ferriar (Med. Hist. and Refl. vol. 3.).

Hoc medicamentum unà cum infuso catechu, ad 2dam vel 3tiam qq. h. feliciter a Dre Duncan in nosocomio præscriptum vidi.

18*mo*, Recenter *opium*, cum internè exhiberi

non

non poſſet, externè per frictiones ad artus inferiores, vel alias corporis partes applicatum fuit, et, teſtantibus variis medicis, non ſine felici exitu; Dr Percival, ac D. Ward: vide (Medical and Phyſical Journal, vol. I. p. 441.).

19*mo*, Nuper quoque *ſpuma cereviſiæ* in fermentationis ſtatu magno cum ſucceſſu a Rev. Cartwright in typho exhibita fuit. Hoc medicamentum ſummâ cum utilitate Dr Thornton in typho exhibuit, (Townſend's Guide to Health.).

20*mo*, *Alterum remedium*, quod nuperrimè, in hujus morbi cura, utile inventum fuit, nempe, aeris plus oxygenati inſpiratio, A QUIBUSDAM SCRIPTORIBUS, QUI DE MEDECINA AC PHILOSOPHIA BENE MERENT, commendatur.

Hæc ſunt remedia, quæ medicorum experientia plerumque in typho utilia inveniuntur: notandum tamen eſt, eorum opportunum uſum, ſicut et proprias doſes, ex natura, ac violentia ſymptomatum, quæ in morbo obſervantur,

vantur, atque ex ægrotantis peculiari conſtitutione, ac ætate, tantummodo noſci poſſe.

QUOMODO HORUM REMEDIORUM SALUTARES VEL NOXII EFFECTUS IN TYPHO EXPLANANDI SUNT?

Nunc ſecundum plurimorum ſcriptorum conſilium, inter quos ſunt maximè recenſendi, Dres Robertſon (Lib. cit.), J. C. Smyth (Lib. cit.), Trotter (Lib. cit.), ac D. Howard (Lib. cit.), Munditiem; frigidiuſculam temperiem; ventilationem; ſilentium; parcam lucis admiſſionem; cibum, ægrotanti magis gratum; ſed parcâ manu exhibitum, et, ſi utile videtur, ter, quaterve, aut plus in die repetitum; potum frigidiuſculum, ac acidulatum; ac denique lætitiæ, ſpei delectabilis, imoetiam amoris in gradu moderato incitationem reſtat commendare—atque dicere,

Brevis eſſe laboro. HOR.

FINIS.

EXCUDEBANT C. STEWART ET SOCII, ACADEMIÆ TYPOGRAPHI.